

TAB 3

CARRYING CAPACITY/WATER MANAGEMENT

Contents

**UFL Extension Service Information
Letter Dated 7/8/03
Consumptive Uses of Water Booklet
Individual Water Use Permit, Gadsden County
Staff Report Dated 10/10/96
Memorandum Dated 2/8/02
Letter Dated 10/29/93, Permit 44-93-045G
Letter Dated 10/29/93, Permit 44-93-044**

UFL EXTENSION SERVICE INFORMATION

UNIVERSITY OF FLORIDA

IFAS EXTENSION

Jackson County Extension
2741 Pennsylvania Ave., Suite 3
Marianna, FL 32448-4014
(850) 482-9620
Suncom: 789-9620
Fax: (850) 482-9287
<http://jackson.ifas.ufl.edu>

Friday, July 25, 2003

Gary Polston's Questions:

Average Stocking Rate of Panhandle Beef Herds: **2.2 acres per cow**

Grasses Used: **Bahia-(Tifton 9, Argentine, Pensacola) used mainly for grazing but can be**

used for low quality hay

Bermuda- (Coastal, Tifton 85, Russell) used mainly for hay and emergency grazing

1952-2001 Yearly average rainfall: **55" with a high in 1964 of 81" and a low in 1954 of 29"**

Web sites with useful information:

Our county web site: <http://jackson.ifas.ufl.edu> then go to the livestock page from the home page

University of Florida Extension publications <http://edis.ifas.ufl.edu>

